El Koruma

VENICUT44

ÇOK KESKİN OLMAYAN; UZUN SÜREN ÇALIŞMA



Uygulamalar

- **Kamu işleri**
- **Yapı**
- **İkinci iş / Zanaatkarlar**
- **Bakım**
- **Otomotiv**
- **Maden endüstrisi**

Sertifikalar ve standartlar

CE KATEGORİ II

EN 388
4 X 4 2 C

A3 X X

Karşı korur

Kesme

Aşınma

VENICUT44

ÇOK KESKİN OLMAYAN; UZUN SÜREN ÇALIŞMA

El Koruma

Detaylar - Standartlar

EN388:2016+A1:2018
4 [0-4] AŞINMA DİRENCİ
X [0-5] KESİLME DİRENCİ
4 [0-4] TEAR RESİSTANCE
2 [0-4] PİERCE RESİSTANCE
C [A-F] CUT RESİSTANCE ISO 13997

Ürün bilgileri

Eldiven tipi	Mekanik eldiven
Eldiven ailesi	Kaplamalı örme eldiven
Mekanik eldiven tipi	Örme
Elyaf	Econocut
Kaplama seviyesi	Avuç içi kaplama
Kaplama malzemesi	PU
Kaplama bitişi	Düz
Kaplama sayısı	Tek kaplama
Ölçü	13
Renk	Gri-Siyah
Boyutlar	7, 8, 9, 10
Paketleme tipi	3'li paket

Paketleme

Satış birimi: 3'li paket
40 çiftler / kutu

VENICUT44

SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT44GRG307	Grey-Black	07	VENICUT44	0	0	40	4	8.2 kg	55.0 cm	33.0 cm	27.0 cm
VECUT44GRG308	Grey-Black	08	VENICUT44	0	13295249191846	40	4	8.2 kg	34.4 cm	58.2 cm	29.4 cm
VECUT44GRG309	Grey-Black	09	VENICUT44	0	0	40	4	10.2 kg	55.0 cm	33.0 cm	27.0 cm
VECUT44GRG310	Grey-Black	10	VENICUT44	0	0	40	4	9.4 kg	35.0 cm	61.4 cm	30.2 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height