Düşme önleme

SPEEDLINE LV201

ANKRAJ CİHAZLARI

2 metreden 20 metreye kadar dokumalı geçici cankurtaran halatı, aynı anda 2 kullanıcının güvenliğini sağlar, gergisi sayesinde kurulumu çok kolaydır



Uygulamalar

- **Tarım**
- **Yapı**
- **İkinci iş / Zanaatkarlar**
- **Bakım**
- **Orman endüstrisi**
- **Depolama**

Sertifikalar ve standartlar

CE KATEGORİ III

EN 795
TİP B
TİP C

TS16415
2

Karşı korur

Düşme



Düşme önleme

SPEEDLINE LV201

ANKRAJ CİHAZLARI

2 metreden 20 metreye kadar dokumalı geçici cankurtaran halatı, aynı anda 2 kullanıcının güvenliğini sağlar, gergisi sayesinde kurulumu çok kolaydır

Detaylar - Standartlar

Ürün bilgileri

Ekipman Türü	Yatay geçici yaşam hattı
Ana destek yapısı	Polyester
Şerit genişliği (mm)	50
Uzunluk (m)	20
Kapanış	Vida
Renk	Sarı
Ağırlık (kg) (kg)	3,8
Maksimum kullanıcı sayısı	2
Düşmeye karşı çalışma koşulları	Kurtarma halatı üzerinde hareket, Kısıtlayıcı, Uzun yatay hareket ya da yatay yüzey, Dikey yapıda uzun yatay hareket, Kısa yatay hareket (3m'den az)
Uzunluk (ft)	65.616



Fall protection

SPEEDLINE LV201

ANCHORAGE DEVICES

2 to 20 metre long temporary webbing lifeline, allowing to secure 2 simultaneous users, very easy to install with tensioner

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LV201	Yellow	2.50 → 20 m	SPEEDLINE LV201	3660348006330	13660348006337	1	1	4.8 kg	30.2 cm	40.4 cm	12.6 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height