Düşme önleme

TRA20

DÜŞME ÖNLEME VE KURTARMA, KAPALI ALAN

2 metreye kadar alüminyum tripod, dar alanlarda her türlü çalışma için hafif ve kurulumu kolay



Uygulamalar

- **Yapı**
- **İkinci iş / Zanaatkarlar**
- **Bakım**
- **Kimya endüstrisi**
- **Petrol ve Gaz (çıkarma)**
- **Maden endüstrisi**

Sertifikalar ve standartlar

CE KATEGORİ III

EN 795
TİP B

TS16415
3

Karşı korur

Düşme

Düşme önleme

TRA20

DÜŞME ÖNLEME VE KURTARMA, KAPALI ALAN

2 metreye kadar alüminyum tripod, dar alanlarda her türlü çalışma için hafif ve kurulumu kolay

Detaylar - Standartlar

Ürün bilgileri

Ekipman Türü	Teleskopik tripod
Ana destek yapısı	Alüminyum
Sabitleme tertibatı	Tripod
Maksimum uzunluk (m)	1,97
Minimum uzunluk (m)	1,2
Renk	Alüminyum renkli
Ağırlık (kg) (kg)	15,3
Direnç (Kn)	20
Zemin dingil mesafesi (m)	1,89
Dahil değildir	TRA102 adaptör plakası, TRA103 basamak
Maksimum kullanıcı sayısı	3
Düşmeye karşı çalışma koşulları	Kurtarma ve tahliye, Dikey hareket, kapalı alan



Fall protection

TRA20

FALL ARREST AND RESCUE, CONFINED SPACE

Aluminium tripod up to 2 metres, lightweight and easy to install for all types of work in confined spaces

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TRA20	Aluminium-coloured	Adjustable	TRA20	3295249193119	13295249193116	1	1	19.0 kg	26.0 cm	27.0 cm	156.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height