El Koruma

FCN29

KURU ORTAMDA ÇALIŞMA

Kuru bir ortamda genel amaçlı çalışmalar için ideal deri mekanik eldiven



Uygulamalar

- **Kamu işleri**
- **Yapı**
- **İkinci iş / Zanaatkarlar**
- **Geçici istihdam**
- **Depolama**

Sertifikalar ve standartlar

CE KATEGORİ II

EN 388
2 1 2 1 X

Karşı korur

Aşınma

El Koruma

FCN29

KURU ORTAMDA ÇALIŞMA

Kuru bir ortamda genel amaçlı çalışmalar için ideal deri mekanik eldiven

Detaylar - Standartlar



EN388:2016+A1:2018
2 [0-4] AŞINMA DİRENCİ
1 [0-5] KESİLME DİRENCİ
2 [0-4] TEAR RESİSTANCE
1 [0-4] PİERCE RESİSTANCE
X [A-F] CUT RESİSTANCE ISO 13997

Ürün bilgileri

Eldiven tipi	Mekanik eldiven
Eldiven ailesi	Kesilmiş ve dikilmiş eldiven, deri avuç içi / deri sırt
Mekanik eldiven tipi	Kesik dikilmiş
Kalınlık (mm)	0,9 -> 1,1
Manşet özelliği	Elastik arkalı açık manşet
Renk	Doğal
Boyutlar	8, 9, 10, 11
Paketleme tipi	12'li paket

Paketleme

Satış birimi: 12'li paket
120 çiftler / kutu

Safety gloves

FCN29

WORKS IN DRY ENVIRONMENT

Mechanical leather glove, ideal for multipurpose work in dry environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
FCN2910	Natural	10	FCN29	3295249028886	13295249028883	120	12	17.6 kg	28.6 cm	63.0 cm	30.8 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height